

Energy Certificate shall be completed and posted on a wall in the space in one of the following locations.

1. A room where the furnace is located
2. a Utility room
3. approved location inside the building

*Where located on an electrical panel, the certificate shall not cover or obstruct the visibility of the circuit directory label, service disconnect label, or other required labels

WHAT INFORMATION IS REQUIRED ON THE CERTIFICATE

1. The predominant R-values of insulation installed:
 - a. in or on ceilings
 - b. Roofs
 - c. Walls
 - d. foundation components
 - i. slabs
 - ii. basement walls
 - iii. crawl space walls
 - iv. floor
 - v. ducts outside conditioned spaces
2. U Factor of fenestration (windows and doors) and the solar heat gain coefficient (SHGC) of fenestration
3. The results from any required duct system
4. Building envelope air leakage test
5. Types and efficiencies of heating, cooling, and service water heating equipment
6. Where a gas-fired unvented room heater, electric furnace, or baseboard electric heater is installed, "gas-fired unvented room heater", "electric furnace", or "baseboard heater" shall be listed and efficiency need not be listed.

Energy Certificate	
Insulation Rating	
Above Grade Walls	R-Value _____
Below-Grade Walls	R-Value _____
Ceiling/Roof	R-Value _____
Glass & Door Rating	
Window	U-Factor _____ SHCG _____
Door	U-Factor _____ SHCG _____
Heating and Cooling	Efficiency
Heating System: _____	_____
Cooling System: _____	_____
Water Heater: _____	_____
Name: _____	Date: _____
Comments:	